


### AMENDMENTS TO THE CLAIMS

The following listing of the claims replaces all prior versions of the claims presented in the application.

Claim 1 (**Currently amended**): A method of treating a mammal suffering from ~~or being susceptible to~~ cancer, the method comprising administering to the mammal a therapeutically effective amount of a compound of the general formula (I)



wherein

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, and R<sup>4</sup> independently are selected from hydrogen, optionally substituted C<sub>1-6</sub>-alkyl, optionally substituted C<sub>2-6</sub>-alkenyl, hydroxy, optionally substituted C<sub>1-6</sub>-alkoxy, optionally substituted C<sub>2-6</sub>-alkenyloxy, carboxy, optionally substituted C<sub>1-6</sub>-alkoxycarbonyl, optionally substituted C<sub>1-6</sub>-alkylcarbonyl, optionally substituted C<sub>1-6</sub>-alkylcarbonyloxy, formyl, amino, mono- and di(C<sub>1-6</sub>-alkyl)amino, carbamoyl, mono- and di(C<sub>1-6</sub>-alkyl)aminocarbonyl, C<sub>1-6</sub>-alkylcarbonylamino, C<sub>1-6</sub>-alkylsulphonylamino, cyano, carbamido, mono- and di(C<sub>1-6</sub>-alkyl)aminocarbonylamino, C<sub>1-6</sub>-alkanoyloxy, C<sub>1-6</sub>-alkylsulphonyl, C<sub>1-6</sub>-alkylsulphinyl, aminosulfonyl, mono- and di(C<sub>1-6</sub>-alkyl)aminosulfonyl, nitro, optionally substituted C<sub>1-6</sub>-alkylthio, aryl, aryloxy, arylcarbonyl, arylamino, heterocyclyl, heterocyclyloxy, heterocyclylamino, heterocyclylcarbonyl, heteroaryl, heteroaryloxy, heteroarylamino, heteroarylcarbonyl, and halogen, where any C<sub>1-6</sub>-alkyl as an amino substituent is optionally substituted with hydroxy, C<sub>1-6</sub>-alkoxy, amino, mono- and di(C<sub>1-6</sub>-alkyl)amino, carboxy, C<sub>1-6</sub>-alkylcarbonylamino, C<sub>1-6</sub>-alkylaminocarbonyl, or halogen(s), and wherein any aryl, heterocyclyl and heteroaryl may be optionally substituted; or R<sup>1</sup> and R<sup>2</sup> together with the carbon atoms to which they are attached form a ring;

with the proviso that  $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are not all hydrogen;

$X^1$  and  $X^2$  are independently selected from halogen, hydroxy (-OH) and acetoxy (-OAc), optionally substituted  $C_{1-6}$ -alkoxy, optionally substituted  $C_{1-6}$ -alkylecarbonyloxy, amino, mono- and di( $C_{1-6}$ -alkyl)amino,  $C_{1-6}$ -alkylecarbonylamino,  $C_{1-6}$ -alkylsulphonylamino, mono- and di( $C_{1-6}$ -alkyl)aminocarbonylamino,  $C_{1-6}$ -alkanoyloxy, mercapto, optionally substituted  $C_{1-6}$ -alkylthio,  $C_{1-6}$ -alkylsulfonyl, mono- and di( $C_{1-6}$ -alkyl)aminosulfonyl, aryloxy, arylamino, heterocyclyloxy, heterocyclylamino, heteroaryloxy and heteroarylamino, where any  $C_{1-6}$ -alkyl as an amino or sulphur substituent is optionally substituted with hydroxy,  $C_{1-6}$ -alkoxy, amino, mono- and di( $C_{1-6}$ -alkyl)amino, carboxy,  $C_{1-6}$ -alkylecarbonylamino,  $C_{1-6}$ -alkylaminocarbonyl, or halogen(s), and wherein any aryl, heterocyclyl and heteroaryl may be optionally substituted; and

pharmaceutically acceptable salts and prodrugs thereof.

Claims 2-3 (canceled).

Claim 4 (Previously presented): The method according to claim 1, wherein  $R^1$  is selected from hydrogen, halogen,  $C_{1-6}$ -alkyl, trifluoromethyl and  $C_{1-6}$ -alkoxy.

Claim 5 (Previously presented): The method according to claim 1, wherein  $R^2$  is selected from hydrogen, halogen, optionally substituted aryl, optionally substituted aryloxy, and optionally substituted heteroaryl.

Claim 6 (Previously presented): The method according to claim 1, wherein  $R^3$  is selected from hydrogen, optionally substituted  $C_{1-6}$ -alkoxy, halogen, cyano, optionally substituted aryl, optionally substituted aryloxy, optionally substituted heteroaryl, amino,  $C_{1-6}$ -alkylecarbonylamino,  $C_{1-6}$ -alkylsulphonylamino, and mono- and di( $C_{1-6}$ -alkyl)aminosulfonyl.

Claim 7 (Previously presented): The method according to claim 1, wherein  $R^4$  is hydrogen.


Claims 8-20 (**canceled**).

Claim 21 (**Previously presented**): The method according to claim 1, wherein  $R^1$  is selected from fluoro, chloro, bromo,  $C_{1-4}$ -alkyl, trifluoromethyl,  $C_{1-4}$ -alkoxy, and dimethylaminocarbonyl.

Claim 22 (**canceled**).

Claim 23 (**Previously presented**): The method according to claim 1, wherein  $R^1$  is selected from halogen,  $C_{1-4}$ -alkyl, trifluoromethyl,  $C_{1-4}$ -alkoxy, and dimethylaminocarbonyl,  $R^2$  is selected from hydrogen and halogen, and  $R^3$  is selected from hydrogen, halogen,  $C_{1-4}$ -alkyl, and amino; where  $R^2$  and  $R^3$  are not both hydrogen.

Claim 24 (**Currently amended**): A method of treating a mammal suffering from ~~or being~~ **susceptible to** cancer, the method comprising administering to the mammal a therapeutically effective amount of a 3,3-diphenyl-1,3-dihydro-indol-2-one type compound of the formula (IIa)



wherein

$R^1$  is selected from hydrogen, halogen,  $C_{1-6}$ -alkyl, trifluoromethyl and  $C_{1-6}$ -alkoxy;

$R^2$  is selected from hydrogen, halogen, optionally substituted aryl, optionally substituted aryloxy, and optionally substituted heteroaryl;


$R^3$  is selected from hydrogen, optionally substituted  $C_{1-6}$ -alkoxy, halogen, cyano, and optionally substituted aryl, optionally substituted aryloxy, optionally substituted heteroaryl, amino,  $C_{1-6}$ -alkylcarbonylamino,  $C_{1-6}$ -alkylsulfonylamino, and mono- and di( $C_{1-6}$ -alkyl)aminosulfonyl; and

with the proviso that  $R^1$ ,  $R^2$  and  $R^3$  are not all hydrogen;

$X^1$  and  $X^2$  are independently selected from hydroxy (-OH) and acetoxy (-OAc) halogen,  $OR^6$ ,  $OCOR^5$ ,  $N(R^6)_2$ ,  $NHCO R^5$ ,  $NHSO_2R^5$ , and  $NHCON(R^6)_2$ , wherein  $R^5$  is selected from  $C_{1-6}$ -alkyl, optionally substituted aryl and optionally substituted heteroaryl, and each  $R^6$  independently is selected from hydrogen,  $C_{1-6}$ -alkyl, optionally substituted aryl and optionally substituted heteroaryl; and

pharmaceutically acceptable salts and ~~prodrugs~~ thereof.

Claim 25 (Currently amended): A method of treating a mammal suffering from ~~or being~~ ~~susceptible to~~ cancer, the method comprising administering to the mammal a therapeutically effective amount of a 3,3-diphenyl-1,3-dihydro-indol-2-one type compound of the formula (IIb)



wherein

$R^1$ ,  $R^2$ , and  $R^3$  independently are selected from hydrogen, optionally substituted  $C_{1-6}$ -alkyl, optionally substituted  $C_{2-6}$ -alkenyl, hydroxy, optionally substituted  $C_{1-6}$ -alkoxy, optionally substituted  $C_{2-6}$ -alkenyloxy, carboxy, optionally substituted  $C_{1-6}$ -alkoxycarbonyl, optionally substituted  $C_{1-6}$ -alkylcarbonyl, optionally substituted  $C_{1-6}$ -alkylcarbonyloxy, formyl, amino, mono- and di( $C_{1-6}$ -alkyl)amino, carbamoyl, mono- and di( $C_{1-6}$ -alkyl)aminocarbonyl,  $C_{1-6}$ -alkylcarbonylamino,  $C_{1-6}$ -alkylsulphonylamino, cyano, carbamido, mono- and di( $C_{1-6}$ -alkyl)-aminocarbonylamino,  $C_{1-6}$ -alkanoyloxy,  $C_{1-6}$ -alkylsulphonyl,  $C_{1-6}$ -alkylsulphinyl, aminosulfonyl, mono- and di( $C_{1-6}$ -alkyl)aminosulfonyl, nitro, optionally substituted  $C_{1-6}$ -alkylthio, and halogen, where any  $C_{1-6}$ -alkyl as an amino substituent is optionally substituted with hydroxy,  $C_{1-6}$ -alkoxy,

amino, mono- and di(C<sub>1-6</sub>-alkyl)amino, carboxy, C<sub>1-6</sub>-alkylcarbonylamino, C<sub>1-6</sub>-alkylaminocarbonyl, or halogen(s); and


or wherein R<sup>1</sup> and R<sup>2</sup> together with the carbon atoms to which they are attached form a heterocyclic ring, a heteroaromatic ring, an aromatic ring or a carbocyclic ring; and

with the proviso that R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup> are not all hydrogen;

X<sup>1</sup> and X<sup>2</sup> are independently selected from hydroxy (-OH) and acetoxy (-OAC) halogen, OR<sup>6</sup>, OCOR<sup>5</sup>, N(R<sup>6</sup>)<sub>2</sub>, NHCOR<sup>5</sup>, NHSO<sub>2</sub>R<sup>5</sup>, and NHCON(R<sup>6</sup>)<sub>2</sub>, wherein R<sup>5</sup> is selected from C<sub>1-6</sub>-alkyl, optionally substituted aryl and optionally substituted heteroaryl, and each R<sup>6</sup> independently is selected from hydrogen, C<sub>1-6</sub>-alkyl, optionally substituted aryl and optionally substituted heteroaryl; and

pharmaceutically acceptable salts and ~~prodrugs~~ thereof.

**Claim 26 (Withdrawn):** A method of treating a mammal suffering from or being susceptible to cancer, the method comprising administering to the mammal a therapeutically effective amount of a 3,3-diphenyl-1,3-dihydro-indol-2-one type compound of the formula (IIc)



wherein

R<sup>1</sup> is selected from hydrogen, halogen, C<sub>1-6</sub>-alkyl, trifluoromethyl and C<sub>1-6</sub>-alkoxy;


R<sup>2</sup> is selected from hydrogen, halogen, optionally substituted aryl, optionally substituted aryloxy, and optionally substituted heteroaryl;

R<sup>3</sup> is selected from hydrogen, optionally substituted C<sub>1-6</sub>-alkoxy, halogen, cyano, and optionally substituted aryl, optionally substituted aryloxy, optionally substituted heteroaryl, amino, C<sub>1-6</sub>-alkyl-carbonylamino, C<sub>1-6</sub>-alkylsulfonylamino, and mono- and di(C<sub>1-6</sub>-alkyl)aminosulfonyl; and

one of X<sup>1</sup> and X<sup>2</sup> is selected from halogen, OR<sup>6</sup>, OCOR<sup>5</sup>, N(R<sup>6</sup>)<sub>2</sub>, NHCOR<sup>5</sup>, NHSO<sub>2</sub>R<sup>5</sup>, and NHCON(R<sup>6</sup>)<sub>2</sub>, wherein R<sup>5</sup> is selected from C<sub>1-6</sub>-alkyl, optionally substituted aryl and optionally substituted heteroaryl, and each R<sup>6</sup> independently is selected from hydrogen, C<sub>1-6</sub>-alkyl, optionally substituted aryl and optionally substituted heteroaryl; and the other of X<sup>1</sup> and X<sup>2</sup> is selected from optionally substituted C<sub>1-6</sub>-alkyl, optionally substituted C<sub>2-6</sub>-alkenyl, carboxy, optionally substituted C<sub>1-6</sub>-alkoxycarbonyl, optionally substituted C<sub>1-6</sub>-alkylcarbonyl, formyl, carbamoyl, mono- and di(C<sub>1-6</sub>-alkyl)aminocarbonyl, cyano, aryl, arylcarbonyl, heterocyclyl, heterocyclylcarbonyl, heteroaryl, heteroarylcarbonyl, where any C<sub>1-6</sub>-alkyl as an amino substituent is optionally substituted with hydroxy, C<sub>1-6</sub>-alkoxy, amino, mono- and di(C<sub>1-6</sub>-alkyl)amino, carboxy, C<sub>1-6</sub>-alkyl-carbonylamino, C<sub>1-6</sub>-alkylaminocarbonyl, or halogen(s), and wherein any aryl, heterocyclyl and heteroaryl may be optionally substituted; and

pharmaceutically acceptable salts and prodrugs thereof.

**Claim 27 (Withdrawn):** A method of treating a mammal suffering from or being susceptible to cancer, the method comprising administering to the mammal a therapeutically effective amount of a 3,3-diphenyl-1,3-dihydro-indol-2-one type compound of the formula (IIa)



wherein

R<sup>1</sup>, R<sup>2</sup>, and R<sup>3</sup> independently are selected from hydrogen, optionally substituted C<sub>1-6</sub>-alkyl, optionally substituted C<sub>2-6</sub>-alkenyl, hydroxy, optionally substituted C<sub>1-6</sub>-alkoxy, optionally

substituted C<sub>2-6</sub>-alkenyloxy, carboxy, optionally substituted C<sub>1-6</sub>-alkoxycarbonyl, optionally substituted C<sub>1-6</sub>-alkylcarbonyl, optionally substituted C<sub>1-6</sub>-alkylcarbonyloxy, formyl, amino, mono- and di(C<sub>1-6</sub>-alkyl)amino, carbamoyl, mono- and di(C<sub>1-6</sub>-alkyl)aminocarbonyl, C<sub>1-6</sub>-alkylcarbonylamino, C<sub>1-6</sub>-alkylsulphonylamino, cyano, carbamido, mono- and di(C<sub>1-6</sub>-alkyl)aminocarbonylamino, C<sub>1-6</sub>-alkanoyloxy, C<sub>1-6</sub>-alkylsulphonyl, C<sub>1-6</sub>-alkylsulphinyl, aminosulfonyl, mono- and di(C<sub>1-6</sub>-alkyl)aminosulfonyl, nitro, optionally substituted C<sub>1-6</sub>-alkylthio, and halogen, where any C<sub>1-6</sub>-alkyl as an amino substituent is optionally substituted with hydroxy, C<sub>1-6</sub>-alkoxy, amino, mono- and di(C<sub>1-6</sub>-alkyl)amino, carboxy, C<sub>1-6</sub>-alkylcarbonylamino, C<sub>1-6</sub>-alkylaminocarbonyl, or halogen(s); and

or wherein R<sup>1</sup> and R<sup>2</sup> together with the carbon atoms to which they are attached form a heterocyclic ring, a heteroaromatic ring, an aromatic ring or a carbocyclic ring; and

one of X<sup>1</sup> and X<sup>2</sup> is selected from halogen, OR<sup>6</sup>, OCOR<sup>5</sup>, N(R<sup>6</sup>)<sub>2</sub>, NHCOR<sup>5</sup>, NHSO<sub>2</sub>R<sup>5</sup>, and NHCON(R<sup>6</sup>)<sub>2</sub>, wherein R<sup>5</sup> is selected from C<sub>1-6</sub>-alkyl, optionally substituted aryl and optionally substituted heteroaryl, and each R<sup>6</sup> independently is selected from hydrogen, C<sub>1-6</sub>-alkyl, optionally substituted aryl and optionally substituted heteroaryl; and the other of X<sup>1</sup> and X<sup>2</sup> is selected from optionally substituted C<sub>1-6</sub>-alkyl, optionally substituted C<sub>2-6</sub>-alkenyl, carboxy, optionally substituted C<sub>1-6</sub>-alkoxycarbonyl, optionally substituted C<sub>1-6</sub>-alkylcarbonyl, formyl, carbamoyl, mono- and di(C<sub>1-6</sub>-alkyl)aminocarbonyl, cyano, aryl, arylcarbonyl, heterocyclyl, heterocyclylcarbonyl, heteroaryl, heteroarylcarbonyl, where any C<sub>1-6</sub>-alkyl as an amino substituent is optionally substituted with hydroxy, C<sub>1-6</sub>-alkoxy, amino, mono- and di(C<sub>1-6</sub>-alkyl)amino, carboxy, C<sub>1-6</sub>-alkylcarbonylamino, C<sub>1-6</sub>-alkylaminocarbonyl, or halogen(s), and wherein any aryl, heterocyclyl and heteroaryl may be optionally substituted; and

pharmaceutically acceptable salts and prodrugs thereof.

**Claim 28 (Currently amended):** The method according to claim 1, wherein the compound is selected from ~~Items 1 to 225 listed below:~~

1     5-Amino-6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;

2     5-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;

- 3 5-Fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 4 3,3-Bis-(4-hydroxy-phenyl)-5-nitro-1,3-dihydro-indol-2-one;
- 5 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;
- 6 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indole-5-

carbonitrile;

- 7 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-5-methoxy-7-methyl-1,3-dihydro-indol-2-one;
- 8 6-Bromo-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;
- 9 6-Bromo-5-ethyl-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;
- 10 6-Bromo-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-

carbonitrile;

- 11 6-Bromo-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;
- 12 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;
- 13 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indole-5-

carbonitrile;

- 14 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-5-methoxy-7-methyl-1,3-dihydro-indol-2-one;
- 15 6-Chloro-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;
- 16 6-Chloro-5-ethyl-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;
- 17 6-Chloro-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-

carbonitrile;

- 18 6-Chloro-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;
- 19 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-5-methyl-7-methoxy-1,3-dihydro-indol-2-one;
- 20 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methoxy-2-oxo-2,3-dihydro-1H-indole-5-

carbonitrile;

- 21 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methoxy-5-methyl-1,3-dihydro-indol-2-one;
- 22 6-Chloro-5-ethyl-3,3-bis-(4-hydroxy-phenyl)-7-methoxy-1,3-dihydro-indol-2-one;
- 23 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-5,7-dimethoxy-1,3-dihydro-indol-2-one;
- 24 3,3-Bis-(4-hydroxy-phenyl)-1,3-dihydro-benzo[g]indol-2-one;
- 25 Acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-benzo[g]indol-3-yl]-

phenyl ester;

- 26 1-Amino-6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;



27 Acetic acid 4-[3-(4-acetoxy-phenyl)-1-amino-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

28 Acetic acid 4-[3-(4-acetoxy-phenyl)-1-acetylamino-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

29 6-Chloro-7-cyclopropyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;

30 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-trifluoromethyl-1,3-dihydro-indol-2-one;

31 6-Chloro-7-cyclopropoxy-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;

32 6-(4-Fluoro-phenoxy)-3,3-bis-(4-hydroxy-phenyl)-7-trifluoromethyl-1,3-dihydro-indol-2-one;

33 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-cyclopropyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

34 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-2-oxo-7-trifluoromethyl-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

35 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-cyclopropoxy-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

36 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-(4-fluoro-phenoxy)-2-oxo-7-trifluoromethyl-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

37 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-trifluoromethoxy-1,3-dihydro-indol-2-one;

38 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-2-oxo-7-trifluoromethoxy-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

39 6-Chloro-4-fluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;

40 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-4-fluoro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

41 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-4,7-dimethyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

42 6-Chloro-4,5-difluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;

43 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-4,5-difluoro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

44 3,3-Bis-(4-hydroxy-phenyl)-1,3,6,7,8,9-hexahydro-benzof[g]indol-2-one;

- 45 3,3-Bis-(4-hydroxy-phenyl)-7-trifluoromethyl-1,3-dihydro-indol-2-one;
- 46 7-Chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 47 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-7-carbonitrile;
- 48 7-Ethyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 49 3,3-Bis-(4-hydroxy-phenyl)-7-morpholin-4-yl-1,3-dihydro-indol-2-one;
- 50 3,3-Bis-(4-hydroxy-phenyl)-7-isopropyl-1,3-dihydro-indol-2-one;
- 51 7-tert-Butyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 52 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-7-carboxylic acid

dimethylamide;

- 53 3,3-Bis-(4-hydroxy-phenyl)-7-(4-methyl-piperazine-1-carbonyl)-1,3-dihydro-indol-
- 2-one;
- 54 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid;
- 55 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid

dimethylamide;

- 56 3,3-Bis-(4-hydroxy-phenyl)-5-(morpholine-4-carbonyl)-1,3-dihydro-indol-2-one;
- 57 3,3-Bis-(4-hydroxy-phenyl)-4-methoxy-1,3-dihydro-indol-2-one;
- 58 3,3-Bis-(4-hydroxy-phenyl)-6-methoxy-1,3-dihydro-indol-2-one;
- 59 3,3-Bis-(4-hydroxy-phenyl)-5-(4-methyl-piperazine-1-carbonyl)-1,3-dihydro-indol-

2-one;

- 60 3,3-Bis-(4-hydroxy-phenyl)-7-pyridin-3-yl-1,3-dihydro-indol-2-one;
- 61 7-Bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 62 7-Ethyl-5-fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 63 3,3-Bis-(4-hydroxy-phenyl)-5-iodo-1,3-dihydro-indol-2-one;
- 64 5-Amino-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 65 5-Amino-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;
- 66 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;
- 67 7-Fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 68 3,3-Bis-(4-hydroxy-phenyl)-7-methoxy-1,3-dihydro-indol-2-one;
- 69 4,7-Dichloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;
- 70 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-1,7-dimethyl-1,3-dihydro-indol-2-one;

71 6-Chloro-3,3-bis-(4-fluoro-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
72 3,3-Bis-(4-hydroxy-phenyl)-7-(morpholine-4-carbonyl)-1,3-dihydro-indol-2-one;  
73 3,3-Bis-(4-hydroxy-phenyl)-4,7-dimethyl-1,3-dihydro-indol-2-one;  
74 3,3-Bis-(4-hydroxy-phenyl)-7-iodo-1,3-dihydro-indol-2-one;  
75 3,3-Bis-(4-hydroxy-phenyl)-7-pyridin-4-yl-1,3-dihydro-indol-2-one;  
76 Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester;

77 3,3-Bis-(4-hydroxy-phenyl)-5-phenyl-1,3-dihydro-indol-2-one;  
78 3,3-Bis-(4-hydroxy-phenyl)-7-thiophen-2-yl-1,3-dihydro-indol-2-one;  
79 3,3-Bis-(4-hydroxy-phenyl)-5-pyridin-4-yl-1,3-dihydro-indol-2-one;  
80 3,3-Bis-(4-hydroxy-phenyl)-5-thiophen-2-yl-1,3-dihydro-indol-2-one;  
81 5,7-Difluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
82 6-Fluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
83 3,3-Bis-(4-hydroxy-phenyl)-6-methoxy-7-methyl-1,3-dihydro-indol-2-one;  
84 6,7-Difluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
85 6-Chloro-7-fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
86 5-Fluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
87 3,3-Bis-(4-hydroxy-phenyl)-5-methoxy-7-methyl-1,3-dihydro-indol-2-one;  
88 7-Chloro-3,3-bis-(4-hydroxy-phenyl)-4-methoxy-1,3-dihydro-indol-2-one;  
89 6-Fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
90 N-[3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-indol-1-yl]-acetamide;  
91 5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-6-yloxy]-pentanoic acid methyl ester;

92 5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-6-yloxy]-pentanoic acid;

93 5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-5-yloxy]-pentanoic acid methyl ester;

94 5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-5-yloxy]-pentanoic acid; and

95 7-Chloro-6-fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one.

- 1 — 5-Amino-6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 2 — 5-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 3 — 5-Fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 4 — 3,3-Bis-(4-hydroxy-phenyl)-5-nitro-1,3-dihydro-indol-2-one
- 5 — 3,3-Bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 6 — 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 7 — 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 8 — 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one
- 9 — 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indole-5-carbonitrile
- 10 — 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-5-methoxy-7-methyl-1,3-dihydro-indol-2-one
- 11 — 6-Bromo-3,3-bis-(4-hydroxy-phenyl)-7-methoxy-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one;
- 12 — 6-Bromo-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 13 — 6-Bromo-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one
- 14 — 6-Bromo-5-ethyl-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 15 — 6-Bromo-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-carbonitrile
- 16 — 6-Bromo-7-ethyl-3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one
- 17 — 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 18 — 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 19 — 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one
- 20 — 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indole-5-carbonitrile
- 21 — 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-5-methoxy-7-methyl-1,3-dihydro-indol-2-one

22 — 6-Chloro-3,3-bis(4-hydroxy-phenyl)-7-methoxy-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one

23 — 6-Chloro-7-ethyl-3,3-bis(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one

24 — 6-Chloro-7-ethyl-3,3-bis(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one

25 — 6-Chloro-5-ethyl-3,3-bis(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one

26 — 6-Chloro-7-ethyl-3,3-bis(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-carbonitrile

27 — 6-Chloro-7-ethyl-3,3-bis(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one

28 — 6-Chloro-3,3-bis(4-hydroxy-phenyl)-5-methyl-7-methoxy-1,3-dihydro-indol-2-one;

29 — 6-Chloro-3,3-bis(4-hydroxy-phenyl)-7-methoxy-2-oxo-2,3-dihydro-1H-indole-5-carbonitrile;

30 — 6-Chloro-3,3-bis(4-hydroxy-phenyl)-7-methoxy-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one;

31 — 6-Chloro-3,3-bis(4-hydroxy-phenyl)-7-methoxy-5-methyl-1,3-dihydro-indol-2-one;

32 — 6-Chloro-5-ethyl-3,3-bis(4-hydroxy-phenyl)-7-methoxy-1,3-dihydro-indol-2-one;

33 — 6-Chloro-3,3-bis(4-hydroxy-phenyl)-5,7-dimethoxy-1,3-dihydro-indol-2-one;

34 — N-{4-[3-(4-Acetyl-amino-phenyl)-5-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-acetamide;

35 — N-{4-[5-Chloro-3-(4-methanesulfonylamino-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-methanesulfonamide

36 — N-{4-[3-(4-Acetyl-amino-phenyl)-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-acetamide;

37 — N-{4-[6-Chloro-3-(4-methanesulfonylamino-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-methanesulfonamide;

38 — N-{4-[3-(4-Acetyl-amino-phenyl)-5-chloro-7-methoxy-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-acetamide;

39 — N-{4-[5-Chloro-3-(4-methanesulfonylamino-phenyl)-7-methoxy-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-methanesulfonamide;

40 — N {4 [3-(4-Acetyl-amino-phenyl)-6-chloro-7-methoxy-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-acetamide; and

41 — N {4 [6-Chloro-3-(4-methanesulfonylamino-phenyl)-7-methoxy-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-methanesulfonamide

42 — 2-Chloro-6,6-bis-(4-hydroxy-phenyl)-3-methyl-4,6-dihydro-3H-pyrrolo[2,3-d]imidazol-5-one

43 — Acetic acid 4-[6-(4-acetoxy-phenyl)-2-chloro-3-methyl-5-oxo-3,4,5,6-tetrahydro-pyrrolo[2,3-d]imidazol-6-yl]-phenyl ester

44 — 6,6-Bis-(4-amino-phenyl)-2-chloro-3-methyl-4,6-dihydro-3H-pyrrolo[2,3-d]imidazol-5-one

45 — 2-Chloro-6,6-bis-(4-dimethylamino-phenyl)-3-methyl-4,6-dihydro-3H-pyrrolo[2,3-d]imidazol-5-one

46 — N {4 [6-(4-Acetyl-amino-phenyl)-2-chloro-3-methyl-5-oxo-3,4,5,6-tetrahydro-pyrrolo[2,3-d]imidazol-6-yl]-phenyl}-acetamide

47 — N {4 [2-Chloro-6-(4-methanesulfonylamino-phenyl)-3-methyl-5-oxo-3,4,5,6-tetrahydro-pyrrolo[2,3-d]imidazol-6-yl]-phenyl}-methanesulfonamide

48 — 4,4-Bis-(4-hydroxy-phenyl)-1-methyl-4,6-dihydro-1H-pyrrolo[2,3-c]pyrazol-5-one

49 — Acetic acid 4-[4-(4-acetoxy-phenyl)-1-methyl-5-oxo-1,4,5,6-tetrahydro-pyrrolo[2,3-c]pyrazol-4-yl]-phenyl ester

50 — 4,4-Bis-(4-amino-phenyl)-1-methyl-4,6-dihydro-1H-pyrrolo[2,3-c]pyrazol-5-one

51 — N {4 [4-(4-Methanesulfonylamino-phenyl)-1-methyl-5-oxo-1,4,5,6-tetrahydro-pyrrolo[2,3-c]pyrazol-4-yl]-phenyl}-methanesulfonamide

52 — 4,4-Bis-(4-dimethylamino-phenyl)-1-methyl-4,6-dihydro-1H-pyrrolo[2,3-c]pyrazol-5-one

53 — N {4 [4-(4-Acetyl-amino-phenyl)-1-methyl-5-oxo-1,4,5,6-tetrahydro-pyrrolo[2,3-c]pyrazol-4-yl]-phenyl}-acetamide

54 — 4,4-Bis-(4-hydroxy-phenyl)-2-methyl-2,6-dihydro-4H-pyrrolo[2,3-c]pyrazol-5-one

55 — Acetic acid 4-[4-(4-acetoxy-phenyl)-2-methyl-5-oxo-2,4,5,6-tetrahydro-pyrrolo[2,3-c]pyrazol-4-yl]-phenyl ester

56 — 4,4-Bis-(4-amino-phenyl)-2-methyl-2,6-dihydro-4H-pyrrolo[2,3-c]pyrazol-5-one

57 — 4,4-Bis-(4-dimethylamino-phenyl)-2-methyl-2,6-dihydro-4H-pyrrolo[2,3-c]pyrazol-5-one

58 — N-[4-[4-(4-Acetyl-amino-phenyl)-2-methyl-5-oxo-2,4,5,6-tetrahydro-pyrrolo[2,3-c]pyrazol-4-yl]-phenyl]-acetamide

59 — N-[4-[4-(4-Methanesulfonylamino-phenyl)-2-methyl-5-oxo-2,4,5,6-tetrahydro-pyrrolo[2,3-c]pyrazol-4-yl]-phenyl]-methanesulfonamide

60 — 4,4-Bis-(4-hydroxy-phenyl)-4,6-dihydro-thieno[2,3-b]pyrrol-5-one

61 — Acetic acid 4-[4-(4-acetoxy-phenyl)-5-oxo-5,6-dihydro-4H-thieno[2,3-b]pyrrol-4-yl]-phenyl ester

62 — 4,4-Bis-(4-amino-phenyl)-4,6-dihydro-thieno[2,3-b]pyrrol-5-one

63 — 4,4-Bis-(4-dimethylamino-phenyl)-4,6-dihydro-thieno[2,3-b]pyrrol-5-one

64 — N-[4-[4-(4-Acetyl-amino-phenyl)-5-oxo-5,6-dihydro-4H-thieno[2,3-b]pyrrol-4-yl]-phenyl]-acetamide

65 — N-[4-[4-(4-Methanesulfonylamino-phenyl)-5-oxo-5,6-dihydro-4H-thieno[2,3-b]pyrrol-4-yl]-phenyl]-methanesulfonamide

66 — 2-Chloro-4,4-bis-(4-hydroxy-phenyl)-4,6-dihydro-thieno[2,3-b]pyrrol-5-one

67 — Acetic acid 4-[4-(4-acetoxy-phenyl)-2-chloro-5-oxo-5,6-dihydro-4H-thieno[2,3-b]pyrrol-4-yl]-phenyl ester

68 — 4,4-Bis-(4-amino-phenyl)-2-chloro-4,6-dihydro-thieno[2,3-b]pyrrol-5-one

69 — 2-Chloro-4,4-bis-(4-dimethylamino-phenyl)-4,6-dihydro-thieno[2,3-b]pyrrol-5-one

70 — N-[4-[4-(4-Acetyl-amino-phenyl)-2-chloro-5-oxo-5,6-dihydro-4H-thieno[2,3-b]pyrrol-4-yl]-phenyl]-acetamide

71 — N-[4-[2-Chloro-4-(4-methanesulfonylamino-phenyl)-5-oxo-5,6-dihydro-4H-thieno[2,3-b]pyrrol-4-yl]-phenyl]-methanesulfonamide

72 — 4,4-Bis-(4-hydroxy-phenyl)-4,6-dihydro-furo[2,3-b]pyrrol-5-one

73 — Acetic acid 4-[4-(4-acetoxy-phenyl)-5-oxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl ester

74 — 4,4-Bis-(4-amino-phenyl)-4,6-dihydro-furo[2,3-b]pyrrol-5-one

75 — 4,4-Bis-(4-dimethylamino-phenyl)-4,6-dihydro-furo[2,3-b]pyrrol-5-one

- 76 — N-{4-[4-(4-Acetylamino-phenyl)-5-oxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl}-acetamide
- 77 — N-{4-[4-(4-Methanesulfonylamino-phenyl)-5-oxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl}-methanesulfonamide
- 78 — 2-Chloro-4,4-bis-(4-hydroxy-phenyl)-4,6-dihydro-furo[2,3-b]pyrrol-5-one
- 79 — Acetic acid 4-[4-(4-acetoxy-phenyl)-2-chloro-5-oxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl ester
- 80 — 4,4-Bis-(4-amino-phenyl)-2-chloro-4,6-dihydro-furo[2,3-b]pyrrol-5-one
- 81 — 2-Chloro-4,4-bis-(4-dimethylamino-phenyl)-4,6-dihydro-furo[2,3-b]pyrrol-5-one
- 82 — N-{4-[4-(4-Acetylamino-phenyl)-2-chloro-5-oxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl}-acetamide
- 83 — N-{4-[2-Chloro-4-(4-methanesulfonylamino-phenyl)-5-oxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl}-methanesulfonamide
- 84 — 3,3-Bis-(4-hydroxy-phenyl)-6-methyl-3,8-dihydro-1H-1,8-diaza-as-indacen-2-one
- 85 — Acetic acid 4-[3-(4-acetoxy-phenyl)-6-methyl-2-oxo-1,2,3,8-tetrahydro-1,8-diaza-as-indacen-3-yl]-phenyl ester
- 86 — 3,3-Bis-(4-amino-phenyl)-6-methyl-3,8-dihydro-1H-1,8-diaza-as-indacen-2-one
- 87 — 3,3-Bis-(4-dimethylamino-phenyl)-6-methyl-3,8-dihydro-1H-1,8-diaza-as-indacen-2-one
- 88 — N-{4-[3-(4-Acetylamino-phenyl)-6-methyl-2-oxo-1,2,3,8-tetrahydro-1,8-diaza-as-indacen-3-yl]-phenyl}-acetamide
- 89 — N-{4-[3-(4-Methanesulfonylamino-phenyl)-6-methyl-2-oxo-1,2,3,8-tetrahydro-1,8-diaza-as-indacen-3-yl]-phenyl}-methanesulfonamide
- 90 — 3,3-Bis-(4-hydroxy-phenyl)-1,3-dihydro-benzo[g]indol-2-one
- 91 — Acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-benzo[g]indol-3-yl]-phenyl ester
- 92 — 3,3-Bis-(4-amino-phenyl)-1,3-dihydro-benzo[g]indol-2-one
- 93 — 3,3-Bis-(4-dimethylamino-phenyl)-1,3-dihydro-benzo[g]indol-2-one
- 94 — N-{4-[3-(4-Acetylamino-phenyl)-2-oxo-2,3-dihydro-1H-benzo[g]indol-3-yl]-phenyl}-acetamide



95 — N-{4-[3-(4-Methanesulfonylamino-phenyl)-2-oxo-2,3-dihydro-1H-benzo[g]indol-3-yl]-phenyl}-methanesulfonamide

96 — 1-Amino-6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one

97 — Acetic acid 4-[3-(4-acetoxy-phenyl)-1-amino-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

98 — N-{4-[3-(4-Acetyl-amino-phenyl)-1-amino-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-acetamide

99 — N-{4-[1-Amino-6-chloro-3-(4-methanesulfonylamino-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-methanesulfonamide

100 — Acetic acid 4-[3-(4-acetoxy-phenyl)-1-acetyl-amino-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

101 — N-[3,3-Bis-(4-amino-phenyl)-6-chloro-7-methyl-2-oxo-2,3-dihydro-indol-1-yl]-acetamide

102 — N-[6-Chloro-3,3-bis-(4-dimethyl-amino-phenyl)-7-methyl-2-oxo-2,3-dihydro-indol-1-yl]-acetamide

103 — N-[3,3-Bis-(4-acetyl-amino-phenyl)-6-chloro-7-methyl-2-oxo-2,3-dihydro-indol-1-yl]-acetamide

104 — N-[6-Chloro-3,3-bis-(4-methanesulfonylamino-phenyl)-7-methyl-2-oxo-2,3-dihydro-indol-1-yl]-acetamide

105 — 6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indole-2-thione

106 — Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-methyl-2-thioxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

107 — 3,3-Bis-(4-amino-phenyl)-6-chloro-7-methyl-1,3-dihydro-indole-2-thione

108 — 6-Chloro-3,3-bis-(4-dimethyl-amino-phenyl)-7-methyl-1,3-dihydro-indole-2-thione

109 — N-{4-[3-(4-Acetyl-amino-phenyl)-6-chloro-7-methyl-2-thioxo-2,3-dihydro-1H-indol-3-yl]-phenyl}-acetamide

110 — Methanesulfonic acid 4-[6-chloro-3-(4-methanesulfonyloxy-phenyl)-7-methyl-2-thioxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

111 — Acetic acid 4-[4-(4-acetoxy-phenyl)-2-chloro-5-thioxo-5,6-dihydro-4H-thieno[2,3-b]pyrrol-4-yl]-phenyl ester

112—Acetic acid 4-[4-(4-acetoxy-phenyl)-2-chloro-5-thioxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl ester

113—6,6-Bis-(4-amino-phenyl)-2-chloro-3-methyl-4,6-dihydro-thieno[3,2-b]pyrrole-5-thione

114—2-Chloro-6,6-bis-(4-dimethylamino-phenyl)-3-methyl-4,6-dihydro-3H-pyrrolo[2,3-d]imidazole-5-thione

115—N-[4-[6-(4-Acetyl-amino-phenyl)-3-chloro-5-thioxo-1,4,5,6-tetrahydro-pyrrolo[3,2-e]pyrazol-6-yl]-phenyl]-acetamide

116—Methanesulfonic acid 4-[2-chloro-4-(4-methanesulfonyloxy-phenyl)-5-thioxo-5,6-dihydro-4H-furo[2,3-b]pyrrol-4-yl]-phenyl ester

117—6-Chloro-7-cyclopropyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one

118—6-Chloro-7-cyclopropyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[3,2-e]pyridin-2-one

119—6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-trifluoromethyl-1,3-dihydro-indol-2-one

120—6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-trifluoromethyl-1,3-dihydro-pyrrolo[3,2-e]pyridin-2-one

121—6-Chloro-7-cyclopropoxy-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one

122—6-Chloro-7-cyclopropoxy-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[3,2-e]pyridin-2-one

123—6-(4-Fluoro-phenoxy)-3,3-bis-(4-hydroxy-phenyl)-7-trifluoromethyl-1,3-dihydro-indol-2-one

124—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-cyclopropyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

125—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-cyclopropyl-2-oxo-2,3-dihydro-1H-pyrrolo[3,2-e]pyridin-3-yl]-phenyl ester

126—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-2-oxo-7-trifluoromethyl-2,3-dihydro-1H-indol-3-yl]-phenyl ester

127—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-2-oxo-7-trifluoromethyl-2,3-dihydro-1H-pyrrolo[3,2-e]pyridin-3-yl]-phenyl ester

128—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-cyclopropoxy-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

129—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-cyclopropoxy-2-oxo-2,3-dihydro-1H-pyrrolo[3,2-c]pyridin-3-yl]-phenyl ester

130—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-(4-fluoro-phenoxy)-2-oxo-7-trifluoromethyl-2,3-dihydro-1H-indol-3-yl]-phenyl ester

131—Dimethylamino-acetic acid 4-[6-chloro-7-cyclopropyl-3-[4-(2-dimethylamino-acetoxy)-phenyl]-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

132—Dimethylamino-acetic acid 4-[6-chloro-7-cyclopropyl-3-[4-(2-dimethylamino-acetoxy)-phenyl]-2-oxo-2,3-dihydro-1H-pyrrolo[3,2-c]pyridin-3-yl]-phenyl ester

133—Dimethylamino-acetic acid 4-[6-chloro-3-[4-(2-dimethylamino-acetoxy)-phenyl]-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

134—6-Chloro-3,3-bis-(4-hydroxy-phenyl)-7-trifluoromethoxy-1,3-dihydro-indol-2-one

135—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-2-oxo-7-trifluoromethoxy-2,3-dihydro-1H-indol-3-yl]-phenyl ester

136—Dimethylamino-acetic acid 4-[6-chloro-3-[4-(2-dimethylamino-acetoxy)-phenyl]-2-oxo-7-trifluoromethoxy-2,3-dihydro-1H-indol-3-yl]-phenyl ester

137—6-Chloro-4-fluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one

138—3-Chloro-7,7-bis-(4-hydroxy-phenyl)-4-methyl-5,7-dihydro-pyrrolo[3,2-c]pyridazin-6-one

139—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-4-fluoro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

140—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-4,7-dimethyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

141—Acetic acid 4-[7-(4-acetoxy-phenyl)-3-chloro-4-methyl-6-oxo-6,7-dihydro-5H-pyrrolo[3,2-c]pyridazin-7-yl]-phenyl ester

142—6-Chloro-4,5-difluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one

143—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-4,5-difluoro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester

144—3,3-Bis-(4-hydroxy-phenyl)-3,6,7,8-tetrahydro-1H-1-aza-as-indacen-2-one

- 145 — 3,3-Bis-(4-hydroxy-phenyl)-1,3,6,7,8,9-hexahydro-benzo[g]indol-2-one
- 146 — 3,3-Bis-(4-hydroxy-phenyl)-7-trifluoromethyl-1,3-dihydro-indol-2-one
- 147 — 7-Chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 148 — 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-7-carbonitrile
- 149 — 7-Ethyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 150 — 3,3-Bis-(4-hydroxy-phenyl)-7-morpholin-4-yl-1,3-dihydro-indol-2-one
- 151 — 3,3-Bis-(4-hydroxy-phenyl)-7-isopropyl-1,3-dihydro-indol-2-one
- 152 — 7-tert-Butyl-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 153 — 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-7-carboxylic acid

dimethylamide

- 154 — 3,3-Bis-(4-hydroxy-phenyl)-7-(4-methyl-piperazine-1-carbonyl)-1,3-dihydro-indol-2-one

- 155 — 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid
- 156 — 3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxylic acid

dimethylamide

- 157 — 3,3-Bis-(4-hydroxy-phenyl)-5-(morpholine-4-carbonyl)-1,3-dihydro-indol-2-one
- 158 — 3,3-Bis-(4-hydroxy-phenyl)-4-methoxy-1,3-dihydro-indol-2-one
- 159 — 3,3-Bis-(4-hydroxy-phenyl)-6-methoxy-1,3-dihydro-indol-2-one
- 160 — 3,3-Bis-(4-hydroxy-phenyl)-5-(4-methyl-piperazine-1-carbonyl)-1,3-dihydro-indol-2-one

- 161 — 6-Chloro-3,3-bis-(4-mercapto-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 162 — N-{4-[3-(4-Acetyl-amino-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-

phenyl}-acetamide

- 163 — 3,3-Bis-(4-hydroxy-phenyl)-7-(3-methoxy-prop-1-ynyl)-1,3-dihydro-indol-2-one
- 164 — 3,3-Bis-(4-hydroxy-phenyl)-7-pyridin-3-yl-1,3-dihydro-indol-2-one
- 165 — 7-Bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 166 — 6-Chloro-3,3-bis-(4-methanesulfonyl-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 167 — 6,6-Bis-(4-hydroxy-phenyl)-4,6-dihydro-pyrrolo[3,2-d]thiazol-5-one
- 168 — 6,6-Bis-(4-hydroxy-phenyl)-2-methyl-4,6-dihydro-pyrrolo[3,2-d]thiazol-5-one
- 169 — 6,6-Bis-(4-hydroxy-phenyl)-2-isopropyl-4,6-dihydro-pyrrolo[3,2-d]thiazol-5-one

- 170— 2-Chloro-6,6-bis(4-hydroxy-phenyl)-4,6-dihydro-pyrrolo[3,2-d]thiazol-5-one
- 171— 4,4-Bis(4-hydroxy-phenyl)-4,6-dihydro-pyrrolo[3,2-d]isothiazol-5-one
- 172— 3,3-Bis(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-pyrrolo[2,3-c]pyridin-2-one
- 173— 3,3-Bis(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-pyrrolo[3,2-b]pyridin-2-one
- 174— 3,3-Bis(4-fluoro-phenyl)-7-methyl-1,3-dihydro-pyrrolo[3,2-b]pyridin-2-one
- 175— 3,3-Bis(4-fluoro-phenyl)-7-methyl-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 176— 3,3-Bis(4-fluoro-phenyl)-7-isopropyl-1,3-dihydro-pyrrolo[3,2-c]pyridin-2-one
- 177— 3,3-Bis(4-hydroxy-phenyl)-3,6,7,8-tetrahydro-1H-1,5-diaza-as-indacen-2-one
- 178— 3,3-Bis(4-hydroxy-phenyl)-3,6,7,8-tetrahydro-1H-1,4-diaza-as-indacen-2-one
- 179— 3,3-Bis(4-hydroxy-phenyl)-1,3,6,7,8,9-hexahydro-pyrrolo[3,2-c]quinolin-2-one
- 180— 3,3-Bis(4-hydroxy-phenyl)-1,3,6,7,8,9-hexahydro-pyrrolo[3,2-c]isoquinolin-2-one
- 181— 5-Fluoro-3,3-bis(4-hydroxy-phenyl)-3,6,7,8-tetrahydro-1H-1-aza-as-indacen-2-one
- 182— 7-Ethyl-5-fluoro-3,3-bis(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 183— 3,3-Bis(4-hydroxy-phenyl)-1,3,6,8-tetrahydro-7-oxa-1-aza-as-indacen-2-one
- 184— 3,3-Bis(4-hydroxy-phenyl)-1,3,7,8-tetrahydro-6-oxa-1-aza-as-indacen-2-one
- 185— 3,3-Bis(4-hydroxy-phenyl)-1,6,7,9-tetrahydro-3H-8-oxa-1-aza-  
eyelopenta[a]naphthalen-2-one
- 186— 3,3-Bis(4-hydroxy-phenyl)-1,7,8,9-tetrahydro-3H-pyrano[2,3-g]indol-2-one
- 187— 3,3-Bis(4-hydroxy-phenyl)-7-methyl-3,6,7,8-tetrahydro-1H-1,7-diaza-as-indacen-2-  
one
- 188— 3,3-Bis(4-hydroxy-phenyl)-7-methyl-1,3,7,8-tetrahydro-1,7-diaza-as-indacene-2,6-  
dione
- 189— 3,3-Bis(4-hydroxy-phenyl)-7,8,8-trimethyl-1,3,7,8-tetrahydro-1,7-diaza-as-  
indacene-2,6-dione
- 190— 3,3-Bis(4-hydroxy-phenyl)-5-iodo-1,3-dihydro-indol-2-one
- 191— 5-Amino-3,3-bis(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 192— 5-Amino-3,3-bis(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 193— 6-Bromo-3,3-bis(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 194— 7-Fluoro-3,3-bis(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 195— 3,3-Bis(4-hydroxy-phenyl)-7-methoxy-1,3-dihydro-indol-2-one

- 196—4,7-Dichloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 197—6-Chloro-3,3-bis-(4-hydroxy-phenyl)-1,7-dimethyl-1,3-dihydro-indol-2-one
- 198—6-Chloro-3,3-bis-(4-fluoro-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 199—3,3-Bis-(4-hydroxy-phenyl)-7-(morpholine-4-carbonyl)-1,3-dihydro-indol-2-one
- 200—3,3-Bis-(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[2,3-d]pyridin-2-one
- 201—N-[4-[6-Chloro-3-(4-methanesulfonylamino-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl]-methanesulfonamide
- 202—3,3-Bis-(4-hydroxy-phenyl)-4,7-dimethyl-1,3-dihydro-indol-2-one
- 203—3,3-Bis-(4-hydroxy-phenyl)-7-iodo-1,3-dihydro-indol-2-one
- 204—3,3-Bis-(4-hydroxy-phenyl)-7-pyridin-4-yl-1,3-dihydro-indol-2-one
- 205—Acetic acid 4-[3-(4-acetoxy-phenyl)-6-chloro-7-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester
- 206—3,3-Bis-(4-hydroxy-phenyl)-5-phenyl-1,3-dihydro-indol-2-one
- 207—3,3-Bis-(4-hydroxy-phenyl)-7-thiophen-2-yl-1,3-dihydro-indol-2-one
- 208—3,3-Bis-(4-hydroxy-phenyl)-5-pyridin-4-yl-1,3-dihydro-indol-2-one
- 209—3,3-Bis-(4-hydroxy-phenyl)-5-thiophen-2-yl-1,3-dihydro-indol-2-one
- 210—5,7-Difluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 211—6-Fluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 212—3,3-Bis-(4-hydroxy-phenyl)-6-methoxy-7-methyl-1,3-dihydro-indol-2-one
- 213—6,7-Difluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 214—6-Chloro-7-fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 215—5-Fluoro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one
- 216—3,3-Bis-(4-hydroxy-phenyl)-5-methoxy-7-methyl-1,3-dihydro-indol-2-one
- 217—3,3-Bis-(4-hydroxy-phenyl)-1,3-dihydro-pyrrolo[2,3-b]pyridin-2-one
- 218—7-Chloro-3,3-bis-(4-hydroxy-phenyl)-4-methoxy-1,3-dihydro-indol-2-one
- 219—6-Fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one
- 220—N-[3,3-Bis-(4-hydroxy-phenyl)-2-oxo-2,3-dihydro-indol-1-yl]-acetamide
- 221—5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-6-yloxy]-pentanoic acid-methyl ester

222—5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-6-yloxy]-  
pentanoic acid

223—5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-5-yloxy]-  
pentanoic acid methyl ester


224—5-[3,3-Bis-(4-hydroxy-phenyl)-7-methyl-2-oxo-2,3-dihydro-1H-indol-5-yloxy]-  
pentanoic acid

225—7-Chloro-6-fluoro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one.

Claim 29 (**Currently amended**): The method according to claim 1, wherein the method  
~~medicament~~ further comprises administering one or more other chemotherapeutic agents.

Claim 30 (**canceled**).

Claim 31 (**Withdrawn**): A compound of the general formula (I)




as defined in claim 1, with the proviso that the compound is not one selected from

3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one,  
3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-4,5-dimethyl-1,3-dihydro-indol-2-one ;  
3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;  
5-bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
5-chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;

6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester; and  
acetic acid 4-[3-(4-acetoxy-phenyl)-5-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester.

**Claim 32 (Withdrawn):** A 3,3-Diphenyl-1,3-dihydro-indol-2-one type compound of the formula (II)




as defined in claim 24, with the proviso that the compound is not one selected from:

3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one,  
3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-4,5-dimethyl-1,3-dihydro-indol-2-one ;  
3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;  
5-bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
5-chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;  
6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester; and  
acetic acid 4-[3-(4-acetoxy-phenyl)-5-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester.

**Claim 33 (Withdrawn):** A pharmaceutical composition comprising a compound as defined in claim 1 and a pharmaceutically acceptable carrier.

**Claim 34 (Withdrawn):** A 3,3-Diphenyl-1,3-dihydro-indol-2-one type compound of the formula (II)






(II)

as defined in claim 25, with the proviso that the compound is not one selected from:

3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one,  
3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-4,5-dimethyl-1,3-dihydro-indol-2-one ;  
3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;  
5-bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
5-chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;  
6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester; and  
acetic acid 4-[3-(4-acetoxy-phenyl)-5-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester.

Claim 35 (**Withdrawn**): A 3,3-Diphenyl-1,3-dihydro-indol-2-one type compound of the formula (II)




(II)

as defined in claim 26, with the proviso that the compound is not one selected from:

3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one,  
3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;

3,3-bis-(4-hydroxy-phenyl)-4,5-dimethyl-1,3-dihydro-indol-2-one ;  
3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;  
5-bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
5-chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;  
6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester; and  
acetic acid 4-[3-(4-acetoxy-phenyl)-5-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester.


Claim 36 (**Withdrawn**): A 3,3-Diphenyl-1,3-dihydro-indol-2-one type compound of the formula (II)



as defined in claim 27, with the proviso that the compound is not one selected from:

3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one,  
3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-4,5-dimethyl-1,3-dihydro-indol-2-one ;  
3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;  
5-bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
5-chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;  
6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester; and  
acetic acid 4-[3-(4-acetoxy-phenyl)-5-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester.

Claim 37 (**Withdrawn**): A 3,3-Diphenyl-1,3-dihydro-indol-2-one type compound of the formula (II)



as defined in claim 28, with the proviso that the compound is not one selected from:

3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one,  
3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-4,5-dimethyl-1,3-dihydro-indol-2-one ;  
3,3-bis-(4-hydroxy-phenyl)-5,7-dimethyl-1,3-dihydro-indol-2-one;  
5-bromo-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
5-chloro-3,3-bis-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methoxy-1,3-dihydro-indol-2-one;  
3,3-bis-(4-hydroxy-phenyl)-5-methyl-1,3-dihydro-indol-2-one;  
6-chloro-3,3-bis-(4-hydroxy-phenyl)-7-methyl-1,3-dihydro-indol-2-one;  
acetic acid 4-[3-(4-acetoxy-phenyl)-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester; and  
acetic acid 4-[3-(4-acetoxy-phenyl)-5-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-phenyl ester.

Claim 38 (**Currently amended**): The method according to claim 1, wherein both of X<sup>1</sup> and X<sup>2</sup> are hydroxyl (-OH).

Claim 39 (New): The method according to claim 1, wherein R<sup>4</sup> is hydrogen.

Claim 40 (New): The method according to claim 39, wherein R<sup>3</sup> and R<sup>4</sup> are both hydrogen.